


Hemlok® 2241



English	Français	Deutsch	Italiano	Español
Protruding head	Tête bombée	Flachrundkopf	Testa tonda	Cabeza alomada
Body: Aluminium alloy* (2.5 % Mg) Natural	Corps: Alliage d'aluminium* (2.5% Mg) Brut	Hülse: Aluminium* (2.5 % Mg) Blank	Corpo: Lega di alluminio* (2.5% Mg) Nessuna finitura	Cuerpo: Aluminio* (2.5% Mg) Natural
Stem: Aluminium alloy** Natural	Tige: Alliage d'aluminium** Brut	Dorn: Aluminium** Blank	Gambo: Lega di alluminio** Nessuna finitura	Vástago: Aluminio** Natural

*: EN AW-5052, AlMg2.5

** : EN AW-7075 AlZn5.5MgCu



ø	[Cross-section diagram]		[Thread diagram]		ID	M	ø B	D ₁	T	D ₂	[Resistance diagram]	[Resistance diagram]	Part No/ref	
	min.	max.	min.	max.										max.
1/4" (6.4 mm)	.060	.138	.264	.272	12	.539	.527	.105	.480	.134	1124	607	02241-00812	
	.110	.189			13	.590							1349	02241-00813
	.132	.211			14	.612							1394	02241-00814
	.189	.268			15	.669							1461	02241-00815
	.268	.346			17	.747							1573	02241-00817
	.346	.425			19	.826							1573	02241-00819
	.425	.504			21	.905							1573	02241-00821

all dimensions in inches / en pouces / alle Maße in Zoll / in pollici / en pulgadas

1) typical values / valeurs moyennes / typische Werte / Valori tipici / resistencias máximas recomendadas



An Acument™ Global Technologies Company

www.avdel-global.com

© 2007 Acument Intellectual Properties, LLC

Hemlok® is a trademark of Avdel UK Limited

05.2007

Data shown is subject to change without prior notice as a result of continuous product development and improvement policy.
Your local Avdel representative is at your disposal should you need to confirm latest information.